	Application No.	Applicant(s)
Notice of Allowability	10/688,758	LING ET AL.
	Examiner	Art Unit
	Saira Haider	1711
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Response of 8/1/2007</u> .		
2. The allowed claim(s) is/are 1,2,4-13,15,16,18-20,22,24-26,28-32 and 34-37.		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO/SB/08),	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendr	(PTO-413), te
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance

Application/Control Number: 10/688,758 Page 2

Art Unit: 1711

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312.

To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Robert M. Barrett on September 19, 2007.
- 3. The application has been amended as follows:
- 4. IN THE CLAIMS:
- 5. CLAIM 4:
- 6. LINES 1-2: After "The tubing of claim 1 wherein the" insert -- multiple component --.
- 7. CLAIM 20:
- 8. LINE 5: After "an outermost second layer" insert -- , --.
- 9. LINE 5: After "attached to the first layer" insert -- , --.
- 10. LINES 5-6: After "attached to the first layer" delete -- of a non-PVC containing material of multiple component polymer blend --.
- 11. CANCEL CLAIM 33.
- 12. IN THE SPECIFICATION:
- 13. PAGE 1:
- 14. LINES 2-3: After "serial number 09/756,351 filed January 8, 2001," delete -- currently

Art Unit: 1711

pending --.

- 15. LINES 2-3: After "serial number 09/756,351 filed January 8, 2001," insert -- Pat. No. 6,652,942 --.
- 16. PAGE 8:
- 17. LINE 30: Delete -- tradename HYYTREL and particularly HYTREL 4056 --.
- 18. LINE 30: Insert -- tradename HYTREL and particularly HYTREL 4056. --

## Reasons for Allowance

19. The examiner's statement of reasons for allowance were set forth in the Office Action mailed on 6/7/2007.

## Terminal Disclaimer

The terminal disclaimer filed on 8/1/2007 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US 6,869,653 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Saira Haider whose telephone number is (571) 272-3553. The examiner can normally be reached on Monday-Friday from 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/688,758

Art Unit: 1711

Page 4

Application Information Retrieval (PAIR) system. Status information for published applications

Information regarding the status of an application may be obtained from the Patent

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR system,

see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system,

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like

assistance from a USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Saira Haider Examiner

Art Unit 1711

James J. Seidleck Bupervisory Patent Examiner Technology Center 1700

Ą.